

NAR36A2N, 2-Hole Substation Al/Cu Cable to Flat, 336.4-477 kcmil ACSR

By Burndy
Catalog # [NAR36A2N](#)

Terminal, 350 - 600 Kcmil Al/Cu 336.4 - 477 Kcmil ACSR, 2 Pad holes, 6-5/8 in Length, Cable to Flat



Features

- Aluminum alloy terminal for joining a wide range of copper or aluminum cable to copper or aluminum pad
- Properly proportioned to minimize conductor corrosion due to galvanic action
- Pad drilling conforms to NEMA standards
- 1-wrench installation

Application

Substation

Specifications

Buy American Compliant	No
Certification - cULus	No
EU RoHS Indicator	Yes
Certification - UL Recognized	No
Certification - ETL	No
Standards - RoHS Compliance Status	CM
Certification - CSA Approved	No
UL Listed	No

Conductor

Conductor - ACSR Str Size	<ul style="list-style-type: none"> • 336.4 (30/7) Oriole kcmil • 397.5 (18/1) Chickadee kcmil • 397.5 (24/7) Brant kcmil • 397.5 (26/7) Ibis kcmil • 397.5 (30/7) Larkspur kcmil • 477.0 (18/1) Pelican kcmil • 477.0 (24/7) Flicker kcmil • 477.0 (26/7) Hawk kcmil • 477. (30/7) Hen kcmil
Conductor - ACSR Str Size Range	336.4 (30/7) Oriole kcmil-477. (30/7) Hen kcmil
Conductor - AL Str Size	<ul style="list-style-type: none"> • 350 kcmil • 397 kcmil • 400 kcmil • 450 kcmil • 477 kcmil • 500 kcmil • 550 kcmil • 556 kcmil • 600 kcmil
Conductor - AL Str Size Range	350 kcmil-600 kcmil
Number Of Conductors	1

Conductor - Connection Combination	Cable to Flat
Conductor Type	<ul style="list-style-type: none"> • AL C Str-Size • ACSR C Str-Size

Configuration

Physical Attribute - Number of Holes	4
Physical Attribute - Pad Alignment	Offset
Physical Attribute - Pad Configuration	1.69 x 3 - 2 holes
Physical Attribute - Pad Orientation	Straight
Connector Type	Terminal

Dimensions

Package Length	12.63 in
Package Width	6.38 in
Dimension - F Width Center to Center inch	1.75 in
Package Weight	9.68 lb.
Dimension - L Length Overall mm	168 mm
Dimension - Pad Width inch	1.69 in
Dimension - Height fraction	2-7/8 in
Dimension - Height inch	2.81 in
Package Height	4.63 in
Dimension - Height mm	71.4 mm
Dimension - Hole Size fraction	9/16
Dimension - Thread Size	1/2
Dimension - Width inch	2.75 in
Dimension - Width mm	70 mm
Dimension - B Length inch	3.25 in
Dimension - Bolt Size fraction	1/2
Dimension - Length Overall inch	6.63 in
Dimension - D inch	3.00 in
Dimension - N inch	0.63 in

Force Related

Installation Torque Recommended in-lb	300 LBS/in
---------------------------------------	------------

General

Material - Hardware Aluminum
One Wrench Installation Y
Sub Brand SUBSTATION CONNECTOR
Plated N
Type NAR-A
UPC 12 Digit 781810003848
UPC 14 Digit GTIN 00781810003848
Material Aluminum Alloy
Plating Type Unplated
Clamping Element Design Body And Cap

UPC 781810003848

Logistics

Minimum Pack Quantity 1
Carton Quantity 8
Pallet Quantity 1080

Product Assets

[Catalog \[English\]](#)



A Hubbell brand